



MADE TO ORDER

A selection of special order fabrics

MADE TO ORDER

A selection of special order fabrics

MTO100 Fabrics with a minimum order quantity of 100 lm

MTO300 Fabrics with a minimum order quantity of 300 lm



EASY
TO CLEAN



WATER & STAIN
RESISTANT



UV/FADE
RESISTANT



MOLD/MILDEW
RESISTANT



BLEACH
CLEANABLE



BREATHABLE
COMFORT

	STANDARDS	NATTÉ	SAVANE	TUNDRA
COMPOSITION		100% Sunbrella acrylic		
FINISH		Non PFAS, Water-Repellent & Stain-Proof		
MINIMUM USEFUL WIDTH	EN 1773	140	140	140
WEIGHT	ISO 3801 g/sqm	290	430	435
ROLL LENGTH	LM	50	40	35
SPRAY TEST	ISO 4920 Class/5	5	5	4
COLOUR FASTNESS UV INDOOR	ISO 105 B02 Class/8	8		
COLOUR FASTNESS TO WEATHER OUTDOOR	ISO 105 B04 1000 h Class/5	4-5		
FLAME RETARDANCY		All these fabrics pass the following certifications: BS 5852-1 source 0, Cal 117, NFPA 260, EN 1021-1 (cigarette test)		
CARE INSTRUCTIONS		 Ironing reinforces the treatment		

All the values have a +/-5% tolerance

Find more technical information
with the digital data sheets! [↗](#)

SUNBRELLA®

A BRAND THAT CARES ABOUT THE ENVIRONMENT

From production to use, Sunbrella® fabrics combine quality with durability to reduce their impact on the environment.



PRODUCT LIFECYCLE
MANAGEMENT

As part of its Sunbrella ReCycled offer, Sunbrella created the Endless Stories collection containing up to 50% recycled solution-dyed acrylic fibres. Our recycled fibres are sourced directly from production plants where waste is divided into colour groups and turned back into fibres. These fibres are then blended with the “virgin” Sunbrella fibres.



LESS
WASTE

Our quality Sunbrella fabrics do not rot or fade and are highly resistant over time. As our fabrics do not need to be replaced as often as traditional fabrics, they generate less waste.



LOW WATER
CONSUMPTION

In the solution-dyeing process, colour pigments are added to the core of the fibre, to guarantee colourfastness and save water. Throughout our manufacturing process, we take steps to reduce the amount of water we use, notably by recycling washing water through the installation of water treatment plants.



ZERO
LANDFILL

For over 30 years, Sunbrella has recycled its industrial waste such as yarn and packaging. Today, every Sunbrella manufacturing facility around the globe sends absolutely no waste to the landfill.



5 YEAR
WARRANTY

Sunbrella acrylic fabrics carry a 5-year limited warranty for indoor and outdoor applications against abrasion, pilling, loss of colour and strength in normal usage and exposure conditions. See general warranty conditions at sunbrella.eu/warranty [↗](#)



NON
PFAS

Our company has invested significant resources to find alternatives to PFAS (perfluoroalkylate) chemicals and has developed an optimal non-PFAS finish for all Sunbrella upholstery fabrics. Our fabrics will retain their water repellency, durability, bright colours, appearance, softness, texture, ease of cleaning and strength.



REACH
REGULATION

Sunbrella has developed treatments designed and applied in strict compliance with European REACH regulations.

REACH is a European regulation designed to improve the protection of human health and the environment from the risks posed by chemicals, while enhancing the competitiveness of the EU chemicals industry.



GREENGUARD
CERTIFIED

Sunbrella upholstery fabric has achieved GREENGUARD GOLD Certification. Sunbrella upholstery fabrics are certified by GREENGUARD as contributing to healthy indoor air by being a very low emitting interior product.



OEKO-TEX
LABEL

A quality that meets human-ecological requirements. Awarded with the OEKO-TEX label (class II - products with direct contact to the skin), Sunbrella fabrics are produced without hazardous substances and do not pose a threat to health, the skin or the environment.

NATTÉ

NEW




NAT 10265 140 MTO300




NAT 10272 140 MTO300




NAT 10271 140 MTO300



NAT 10257 140 MTO300



NAT 10282 140 MTO100




NAT 10276 140 MTO300




NAT 10264 140 MTO300



NAT 10283 140 MTO100




NAT 10035 140 MTO100




NAT 10266 140 MTO300



NAT 10274 140 MTO300



NAT 10258 140 MTO300



NAT 10263 140 MTO300



NAT 10261 140 MTO300




NAT 10262 140 MTO300



NAT 10281 140 MTO100



NAT 10277 140 MTO100



NAT 10259 140 MTO300




NAT 10260 140 MTO300




NAT 10279 140 MTO100




NAT 10278 140 MTO100



NAT 10284 140 MTO100




NAT 10267 140 MTO300




NAT 10280 140 MTO100



NAT 10275 140 MTO300



NAT 10285 140 MTO100



NAT 10273 140 MTO300

MTO100 Fabrics with a minimum order quantity of 100 lm - MTO300 Fabrics with a minimum order quantity of 300 lm


SAVANE

NEW



SAV3 J464 140

MTO300



SAV3 J462 140

MTO300




SAV3 J463 140

MTO300




SAV3 J466 140

MTO300




SAV3 J465 140

MTO300



SAV3 J453 140

MTO100



SAV3 J454 140

MTO100



SAV3 J461 140

MTO300



SAV3 J455 140

MTO100




SAV3 J460 140

MTO300



SAV3 J459 140

MTO300



SAV3 J472 140

MTO300




SAV3 J456 140

MTO100




SAV3 J458 140

MTO100




SAV3 J468 140

MTO300




SAV3 J467 140

MTO300



SAV3 J469 140

MTO300



SAV3 J470 140

MTO300



SAV3 J457 140

MTO100



SAV3 J471 140

MTO300




SAV3 J452 140

MTO100


TUNDRA

NEW




TUN3 J612 140

MTO300




TUN3 J609 140

MTO300




TUN3 J608 140

MTO300




TUN3 J610 140

MTO300




TUN3 J611 140

MTO300



TUN3 J603 140

MTO300




TUN3 J604 140

MTO300



TUN3 J490 140

MTO100



TUN3 J600 140

MTO300




TUN3 J602 140

MTO300



TUN3 J601 140

MTO300



TUN3 J492 140

MTO100



TUN3 J493 140

MTO100



TUN3 J613 140

MTO300



TUN3 J607 140

MTO300




TUN3 J614 140

MTO300




TUN3 J605 140

MTO300




TUN3 J487 140

MTO100



TUN3 J491 140

MTO100



TUN3 J495 140

MTO100




TUN3 J606 140

MTO300




TUN3 J488 140

MTO100




TUN3 J489 140

MTO100



TUN3 J615 140

MTO300



TUN3 J494 140

MTO100



ENDLESS **STORIES**

A collection of Sunbrella® ReCycled fabrics

ENDLESS STORIES

Woven with recycled content, designed to last

The first chapter of this story was written in 2013 with the Heritage range, which was already being produced from work-in-progress waste. Today, with Endless Stories, we've added a new dimension to our commitment to sustainable production. Endless Stories is our first collection of upholstery fabrics made from recycled fibres, designed and produced in France.



EASY
TO CLEAN



WATER & STAIN
RESISTANT



UV/FADE
RESISTANT



MOLD/MILDEW
RESISTANT



BLEACH
CLEANABLE



BREATHABLE
COMFORT

Recycled Sunbrella® Acrylic



Made with leftover Sunbrella material captured in the manufacturing process, our recycled acrylic yarn displays slight variations and colour flecks throughout, adding to the unique character of the product.

	STANDARDS	HARVEST	HERITAGE	SLOW	SOURCE
COMPOSITION		All these fabrics meet the requirements of the Sunbrella ReCycled offer by containing at least 20% recycled materials:			
Recycled Sunbrella Acrylic		28%	50%	33%	50%
Sunbrella Acrylic		70%	47%	65%	47%
Sunbrella Polyester		2%	3%	2%	3%
FINISH		Non PFAS, Water-Repellent & Stain-Proof			
MINIMUM USEFUL WIDTH	EN 1773	140			
WEIGHT	ISO 3801 g/sqm	590	335	470	365
ROLL LENGTH	LM	25	50	35	40
SPRAY TEST	ISO 4920 Class/5	4	5	5	5
COLOUR FASTNESS UV INDOOR	ISO 105 B02 Class/8	8			
COLOUR FASTNESS TO WEATHER OUTDOOR	ISO 105 B04 1000 h Class/5	4-5			
FLAME RETARDANCY		All these fabrics pass the following certifications: BS 5852-1 source 0, Cal 117, NFPA 260, EN 1021-1 (cigarette test)			
CARE INSTRUCTIONS		     Ironing reinforces the treatment			

All the values have a +/-5% tolerance



Also available on special order with a flame-retardant backing that passes the following certifications: BS 5852-1 source 1, EN 1021-2 (match test), IMO FTP code part 8. Special order of 200 lm minimum per construction (with a possibility of mixing up to 4 colours). Increases fabric weight by 175 g/m².



Also available on special order with a waterproof backing that brings a waterproofness >1500 mm according to the schmerber test. Special order of 200 lm minimum per construction (with a possibility of mixing up to 4 colours). Increases fabric weight by 100 g/m².



Find more technical information with the digital data sheets !

SUNBRELLA®

A BRAND THAT CARES ABOUT THE ENVIRONMENT

From production to use, Sunbrella® fabrics combine quality with durability to reduce their impact on the environment.



PRODUCT LIFECYCLE
MANAGEMENT

Our recycled fibres are sourced directly from production plants where waste is divided into colour groups and turned back into fibres. These fibres are then blended with the "virgin" Sunbrella fibres.



ZERO
LANDFILL

For over 30 years, Sunbrella has recycled its industrial waste such as yarn and packaging. Today, every Sunbrella manufacturing facility around the globe sends absolutely no waste to the landfill.



LESS
WASTE

Our quality Sunbrella fabrics do not rot or fade and are highly resistant over time. As our fabrics do not need to be replaced as often as traditional fabrics, they generate less waste.



LOW WATER
CONSUMPTION

In the solution-dyeing process, colour pigments are added to the core of the fibre, to guarantee colourfastness and save water. Throughout our manufacturing process, we take steps to reduce the amount of water we use, notably by recycling washing water through the installation of water treatment plants.



5 YEAR
WARRANTY

Sunbrella ReCycled fabrics that include acrylic carry a 5-year limited warranty for indoor and outdoor applications against abrasion, pilling, loss of colour and strength in normal usage and exposure conditions. See general warranty conditions at: sunbrella.eu/warranty



PFAS
FREE

Our company has invested significant resources to find alternatives to PFAS (perfluoroalkylate) chemicals and has developed an optimal non-PFAS finish for all Sunbrella upholstery fabrics. Our fabrics will retain their water repellency, durability, bright colours, appearance, softness, texture, ease of cleaning and strength.



REACH
REGULATION

Sunbrella has developed treatments designed and applied in strict compliance with European REACH regulations.

REACH is a European regulation designed to improve the protection of human health and the environment from the risks posed by chemicals, while enhancing the competitiveness of the EU chemicals industry.



GREENGUARD
CERTIFIED

Sunbrella upholstery fabric has achieved GREENGUARD GOLD Certification. Sunbrella upholstery fabrics are certified by GREENGUARD as contributing to healthy indoor air by being a very low emitting interior product.



OEKO-TEX
LABEL

A quality that meets human-ecological requirements. Awarded with the OEKO-TEX label (class II - products with direct contact to the skin), Sunbrella fabrics are produced without hazardous substances and do not pose a threat to health, the skin or the environment.



SOURCE


NEW



OPTIONAL FINISH* :




OAK
SOU 19001 140



EPICEA
SOU 19011 140



MELTEM
SOU 19002 140



FOGO
SOU 19003 140



SENCHA
SOU 19005 140




SQUAMARINA
SOU 19006 140




NORI
SOU 19008 140



LOCH
SOU 19004 140




COAL
SOU 19010 140



EBENE
SOU 19009 140



PADOUK
SOU 19007 140




TILE
SOU 19012 140

HERITAGE

OPTIONAL FINISHES* :



PAPYRUS
HER 18006 140




ASH
HER 18001 140



SLATE
HER 18015 140




CHAR
HER 18009 140



MOSS
HER 18012 140




LEAF
HER 18011 140



ALPINE
HER 18018 140



SKY
HER 18016 140



SABLE
HER 18019 140

NEW



RUST
HER 18021 140



DUNA
HER 18024 140

NEW

* See the characteristics on the technical page



FROM LEFT TO RIGHT AND TOP TO BOTTOM : HERITAGE ALPINE 18018, SLOW SPIREA 19107, HARVEST NILE 19204, SLOW FERN 19106, SOURCE SQUAMARINA 19006, SLOW SPIREA 19107, HERITAGE MOSS 18012, HARVEST NILE 19204



FROM TOP TO BOTTOM : HERITAGE ASH 18001, HERITAGE ALPINE 18018, HERITAGE LEAF 18011, HERITAGE MOSS 18012




HERITAGE ALPINE 18018

SLOW

NEW



OPTIONAL FINISH* :



FARAFRA
SLO 19101 140



SPIREA
SLO 19107 140



FERN
SLO 19106 140



FOREST
SLO 19104 140



ILLITE
SLO 19102 140



GRIZZLY
SLO 19105 140



ALEZAN
SLO 19103 140



FROM LEFT TO RIGHT AND TOP TO BOTTOM: HERITAGE ASH 18001, SLOW FARAFRA 19101, HARVEST KAOLIN 19201, HARVEST KAOLIN 19201, SOURCE OAK 19001, SOURCE EPICEA 19011, HERITAGE PAPYRUS 18006, SLOW FARAFRA 19101



FROM TOP TO BOTTOM AND LEFT TO RIGHT: SLOW FARAFRA 19101, SOURCE OAK 19001, HERITAGE DUNA 18024, SOURCE EPICEA 19011, HERITAGE PAPYRUS 18006, SLOW FARAFRA 19101

HARVEST

NEW

REPEAT:
20,5 cm

Selvages
Lisières

590
g/m²

140
cm



KAOLIN
HAR 19201 140



NILE
HAR 19204 140



ESTEREL
HAR 19203 140



BASALT
HAR 19202 140



FROM LEFT TO RIGHT: HERITAGE RUST 18021, HARVEST ESTEREL 19203, SLOW ALEZAN 19103



FROM TOP TO BOTTOM : HERITAGE RUST 18021, HARVEST ESTEREL 19203, SLOW ALEZAN 19103



ON THE ROAD

A collection of contemporary fabrics
inspired by nature

ON THE ROAD

Curated designs. Exceptional performance.

On The Road is a collection of 78 references exploring the theme of nature through its diverse landscapes and colours. The collection offers a wide range of sophisticated patterns that will make compositions more daring. An assortment of textured fabrics and jacquards for infinite design possibilities.



EASY
TO CLEAN



WATER & STAIN
RESISTANT



UV/FADE
RESISTANT



MOLD/MILDEW
RESISTANT



BLEACH
CLEANABLE



BREATHABLE
COMFORT

	STANDARDS	CARAT	KHAIMA	LOPI	SAVANE	TERRITORY	TUNDRA	WADI	WANDER	YAMA
COMPOSITION										
Sunbrella acrylic		100%	100%	100%	100%	100%	100%	100%	100%	100%
Sunbrella polyester		-	-	-	-	-	-	-	-	-
Sunbrella PVC		-	-	-	-	-	-	-	-	-
FINISH		Non PFAS, Water-Repellent & Stain-Proof								
MINIMUM USEFUL WIDTH	EN 1773	140	140	140	140	140	140	140	140	140
WEIGHT	ISO 3801 g/sqm	420	500	680	430	710	435	450	470	545
ROLL LENGTH	LM	40	30	25	40	25	35	35	35	30
SPRAY TEST	ISO 4920 Class/5	5	5	4	5	5	4	5	5	5
COLOUR FASTNESS UV INDOOR	ISO 105 B02 Class/8	8								
COLOUR FASTNESS TO WEATHER OUTDOOR	ISO 105 B04 1000 h Class/5	4-5								
FLAME RETARDANCY		All these fabrics pass the following certifications: BS 5852-1 source 0, Cal 117, NFPA 260, EN 1021-1 (cigarette test)								
CARE INSTRUCTIONS		 Ironing reinforces the treatment								

All the values have a +/-5% tolerance



Also available on special order with a waterproof backing that brings a waterproofness >1500 mm according to the schmerber test. Special order of 200 lm minimum per construction (with a possibility of mixing up to 4 colours). Increases fabric weight by 100 g/m².



Find more technical information
with the digital data sheets !

SUNBRELLA®

A BRAND THAT CARES
ABOUT THE ENVIRONMENT

From production to use, Sunbrella® fabrics combine quality with durability to reduce their impact on the environment.



PRODUCT LIFECYCLE
MANAGEMENT

As part of its Sunbrella ReCycled offer, Sunbrella created the Endless Stories collection containing up to 50% recycled solution-dyed acrylic fibres. Our recycled fibres are sourced directly from production plants where waste is divided into colour groups and turned back into fibres. These fibres are then blended with the “virgin” Sunbrella fibres.



LESS
WASTE

Our quality Sunbrella fabrics do not rot or fade and are highly resistant over time. As our fabrics do not need to be replaced as often as traditional fabrics, they generate less waste.



LOW WATER
CONSUMPTION

In the solution-dyeing process, colour pigments are added to the core of the fibre, to guarantee colourfastness and save water. Throughout our manufacturing process, we take steps to reduce the amount of water we use, notably by recycling washing water through the installation of water treatment plants.



ZERO
LANDFILL

For over 30 years, Sunbrella has recycled its industrial waste such as yarn and packaging. Today, every Sunbrella manufacturing facility around the globe sends absolutely no waste to the landfill.



5 YEAR
WARRANTY

Sunbrella acrylic fabrics carry a 5-year limited warranty for indoor and outdoor applications against abrasion, pilling, loss of colour and strength in normal usage and exposure conditions. See general warranty conditions at : sunbrella.eu/warranty



PFAS
FREE

Our company has invested significant resources to find alternatives to PFAS (perfluoroalkylate) chemicals and has developed an optimal non-PFAS finish for all Sunbrella upholstery fabrics. Our fabrics will retain their water repellency, durability, bright colours, appearance, softness, texture, ease of cleaning and strength.



REACH
REGULATION

Sunbrella has developed treatments designed and applied in strict compliance with European REACH regulations.

REACH is a European regulation designed to improve the protection of human health and the environment from the risks posed by chemicals, while enhancing the competitiveness of the EU chemicals industry.



GREENGUARD
CERTIFIED

Sunbrella upholstery fabric has achieved GREENGUARD GOLD Certification. Sunbrella upholstery fabrics are certified by GREENGUARD as contributing to healthy indoor air by being a very low emitting interior product.



OEKO-TEX
LABEL

A quality that meets human-ecological requirements. Awarded with the OEKO-TEX label (class II - products with direct contact to the skin), Sunbrella fabrics are produced without hazardous substances and do not pose a threat to health, the skin or the environment.

WADI

NEW



OPTIONAL FINISH* :



SHIBORI
WAD J633 140



TORTUGA
WAD J627 140



RIVIERA
WAD J628 140



SHRIMP
WAD J631 140



SUGAR
WAD J624 140



FOG
WAD J625 140



SOAP
WAD J626 140



SESAME
WAD J629 140




STEEL
WAD J630 140



ECLIPSE
WAD J632 140

TUNDRA

NEW



ATLANTIS
TUN3 J481 140



CEMENT
TUN3 J485 140



WALL
TUN3 J484 140



PENJA
TUN3 J479 140



GORILLA
TUN3 J476 140



MUESLI
TUN3 J478 140



SOUK
TUN3 J474 140



BARK
TUN3 J475 140



ABYSS
TUN3 J477 140



SWAN
TUN3 J483 140



VARADERO
TUN3 J482 140



GYPSUM
TUN3 J486 140



RYE
TUN3 J480 140

YAMA

NEW



SCALE/ECHELLE: 1/7 - PATTERN SIZE/TAILLE MOTIF: W/L 64 CM X H 62.2 CM

SELVEDGES : ◀▶



TOMORI
YAM J641 140



ERABLE
YAM J640 140



FUJI
YAM J642 140



TANADA
YAM J639 140

WANDER

NEW



OPTIONAL FINISH* :



GOBI
WAN J622 140



EVEREST
WAN J623 140



PILAT
WAN J621 140



GRANITE
WAN J618 140



WOLF
WAN J617 140



MANIOC
WAN J620 140




BISON
WAN J619 140



ETNA
WAN J616 140


KHAIMA

NEW



SCALE/ECHELLE: 1/6 - PATTERN SIZE/TAILE MOTIF: W/L 26,8 CM X H 20.2 CM

SELVEDGES :



MORINGA
KHA J498 140



FONIO
KHA J497 140



KALAHARI
KHA J499 140

SAVANE



LAKE
SAV3 J447 140

NEW



SWAMP
SAV3 J449 140

NEW



PEAT
SAV3 J448 140


NEW



NIMBUS
SAV3 J350 140



WHITE
SAV3 J235 140



CHAMELEON
SAV3 J451 140

NEW



CROW
SAV3 J446 140

NEW



GREY
SAV3 J234 140



ZINC
SAV3 J236 140



COCONUT
SAV3 J233 140



TORNADO
SAV3 J351 140




WHISPER
SAV3 J349 140



METEOR
SAV3 J450 140

NEW

LOPI



VIPER
LOP2 R085 140

NEW



FAWN
LOP2 R081 140

NEW



COCONUT
LOP2 R014 140



COFFEE
LOP2 R078 140

NEW



PEPPER
LOP2 R082 140

NEW



FOSSIL
LOP2 R086 140

NEW



SNOW
LOP2 R033 140



ASH
LOP2 R043 140



BARIBAL
LOP2 R084 140

NEW



CHARCOAL
LOP2 R017 140



CHAI
LOP2 R080 140

NEW



MARBLE
LOP2 R018 140



SILVER
LOP2 R015 140



FRISON
LOP2 R083 140

NEW



SHADOW
LOP2 R013 140



SAND
LOP2 R019 140



ANTIQUE
LOP2 R034 140



BUD
LOP2 R079 140

NEW



LOPI FAWN R081

TERRITORY

NEW



TURMERIC
TER J644 140



TURMERIC
TER J644 140

SCALE/ECHELLE: 1/7 - PATTERN SIZE/TAILLE MOTIF: W/L 57.4 CM X H 51.1 CM

SELVEDGES : ◀▶



OXYDE
TER J646 140



LAZULI
TER J645 140



TIN
TER J647 140



ALUM
TER J643 140



CARAT ONYX J636

CARAT


NEW




AZURITE
CARA J635 140

PATTERN SIZE/TAILLE MOTIF: W/L 7.7 CM X H 8.1 CM

SELVEDGES : ←→



ONYX
CARA J636 140




GRENAT
CARA J637 140



AGATE
CARA J638 140




YAMA ERABLE J640



FROM TOP TO BOTTOM AND LEFT TO RIGHT: YAMA ERABLE J640, SOLID BLUSH 3965, SOLID AUTUMN 3982, CARAT GRENAT J637



WANDER MANIOC J620



FROM LEFT TO RIGHT: SOLID WALNUT 3996, SOLID BLUSH 3965, TUNDRA SOUK J474



FROM LEFT TO RIGHT: WANDER EVEREST J623, TERRITORY ALUM J643, TUNDRA RYE J480, HARVEST KAOLIN 19201



FROM LEFT TO RIGHT: WANDER EVEREST J623, TUNDRA RYE J480



LOPI FAWN R081



FROM LEFT TO RIGHT AND TOP TO BOTTOM: LOPI CHAI R080, TERRITORY ALUM J643, STRIPE CANYON VERDON 4002, SOLID WALNUT 3996



FROM LEFT TO RIGHT AND TOP TO BOTTOM: SAVANE LAKE J447, YAMA TANADA J639, SOLID CALATHEA 3999, SLOW SPIREA 19107



FROM LEFT TO RIGHT AND TOP TO BOTTOM: SAVANE COCONUT J232, SOURCE SENCHA 19005, TERRITORY ALUM J643, LOPI PEPPER R082



TIMELESS

A collection of classic fabrics
with a timeless appeal

SUNBRELLA®

A BRAND THAT CARES ABOUT THE ENVIRONMENT

From production to use, Sunbrella® fabrics combine quality with durability to reduce their impact on the environment.



PRODUCT LIFECYCLE MANAGEMENT

As part of its Sunbrella ReCycled offer, Sunbrella created the Endless Stories collection containing up to 50% recycled solution-dyed acrylic fibres. Our recycled fibres are sourced directly from production plants where waste is divided into colour groups and turned back into fibres. These fibres are then blended with the “virgin” Sunbrella fibres.



LESS WASTE

Our quality Sunbrella fabrics do not rot or fade and are highly resistant over time. As our fabrics do not need to be replaced as often as traditional fabrics, they generate less waste.



LOW WATER CONSUMPTION

In the solution-dyeing process, colour pigments are added to the core of the fibre, to guarantee colourfastness and save water. Throughout our manufacturing process, we take steps to reduce the amount of water we use, notably by recycling washing water through the installation of water treatment plants.



ZERO LANDFILL

For over 30 years, Sunbrella has recycled its industrial waste such as yarn and packaging. Today, every Sunbrella manufacturing facility around the globe sends absolutely no waste to the landfill.



5 YEAR WARRANTY

Sunbrella acrylic fabrics carry a 5-year limited warranty for indoor and outdoor applications against abrasion, pilling, loss of colour and strength in normal usage and exposure conditions. See general warranty conditions at : dckc.fr/warranty



PFAS FREE

Our company has invested significant resources to find alternatives to PFAS (perfluoroalkylate) chemicals and has developed an optimal non-PFAS finish for all Sunbrella upholstery fabrics. Our fabrics will retain their water repellency, durability, bright colours, appearance, softness, texture, ease of cleaning and strength.



REACH REGULATION

Sunbrella has developed treatments designed and applied in strict compliance with European REACH regulations.

REACH is a European regulation designed to improve the protection of human health and the environment from the risks posed by chemicals, while enhancing the competitiveness of the EU chemicals industry.



GREENGUARD CERTIFIED

Sunbrella upholstery fabric has achieved GREENGUARD GOLD Certification. Sunbrella upholstery fabrics are certified by GREENGUARD as contributing to healthy indoor air by being a very low emitting interior product.



OEKO-TEX LABEL

A quality that meets human-ecological requirements. Awarded with the OEKO-TEX label (class II - products with direct contact to the skin), Sunbrella fabrics are produced without hazardous substances and do not pose a threat to health, the skin or the environment.

TIMELESS

Designed with lasting strength and cleanability built in

Timeless is a collection of over a hundred fabrics. Expertly crafted, this broad palette of colours is suitable for all projects. The fabrics can stand on their own, but are also designed to serve as the basis for more trendy compositions. They are perfect for patterned or textured combinations. Indispensable essentials that stand the test of time.



EASY TO CLEAN



WATER & STAIN RESISTANT



UV/FADE RESISTANT



MOLD/MILDEW RESISTANT



BLEACH CLEANABLE



BREATHABLE COMFORT

	STANDARDS	CLIFF	NATTÉ	SOLIDS & STRIPES
COMPOSITION		100% Sunbrella® acrylic		
FINISH		Non PFAS, Water-Repellent & Stain-Proof		
MINIMUM USEFUL WIDTH	EN 1773	140	140	137
WEIGHT	ISO 3801 g/sqm	208	290	260
ROLL LENGTH	LM	50	50	50
SPRAY TEST	ISO 4920 Class/5	5		
COLOUR FASTNESS UV INDOOR	ISO 105 B02 Class/8	8		
COLOUR FASTNESS TO WEATHER OUTDOOR	ISO 105 B04 1000 h Class/5	4-5		
FLAME RETARDANCY		All these fabrics pass the following certifications: BS 5852-1 source 0, Cal 117, NFPA 260, EN 1021-1 (cigarette test)		
CARE INSTRUCTIONS		 Ironing reinforces the treatment		

All the values have a +/-5% tolerance



Also available on special order with a flame-retardant backing that passes the following certifications: BS 5852-1 source 1, EN 1021-2 (match test), IMO FTP code part 8. Special order of 200 lm minimum per construction (with a possibility of mixing up to 4 colours). Increases fabric weight by 175 g/m².



Also available on special order with a waterproof backing that brings a waterproofness >1500 mm according to the schmerber test. Special order of 200 lm minimum per construction (with a possibility of mixing up to 4 colours). Increases fabric weight by 100 g/m².



Find more technical information with the digital data sheets !

NATTÉ



OPTIONAL FINISHES* :




POSEDONIA
NAT 10111 140

NEW




BAMBOO
NAT 10112 140

NEW



AGAVE
NAT P097 140

NEW



FROSTY CHINÉ
NAT 10025 140



CARBON SKY
NAT 10064 140



CARBON BEIGE
NAT 10065 140



NATURE GREY
NAT 10040 140



NAXOS
NAT 10255 140

NEW



BLUESTONE
NAT 10083 140

NEW



COSMOS
NAT P094 140

NEW



CHESTNUT
NAT 10102 140

NEW



TONKA
NAT 10101 140



POMPEI
NAT 10256 140

NEW



SPRITZ
NAT 10254 140

NEW



JASPE
NAT P100 140

NEW



WHITE
NAT 10020 140



NATURE
NAT 10014 140



CANVAS
NAT 10021 140



SUNLIGHT
NAT 10250 140

NEW



HEATHER BEIGE
NAT 10028 140




HEATHER GREY
NAT 10029 140



HEATHER CHALK
NAT 10150 140



LINEN CHALK
NAT 10151 140



GREY CHINÉ
NAT 10022 140



GRAUMEL CHALK
NAT 10152 140



TAUPE CHALK
NAT 10155 140



ANTIQUE
NAT 5077 140

NEW



CHARCOAL CHINÉ
NAT 10063 140



DARK TAUPE
NAT 10059 140



SOOTY
NAT 10030 140



MASCARA
NAT 10078 140

NEW

* See the characteristics on the technical page

SOLIDS



OPTIONAL FINISHES* :



MERLOT
SJA 3997 137

NEW




WALNUT
SJA 3996 137

NEW



EBENE
SJA P091 137


NEW



AUTUMN
SJA 3982 137



BURGUNDY
SJA 5436 137




BLUSH
SJA 3965 137




ANTELOPE
SJA P107 137

NEW



PUMPKIN
SJA 3969 137



CORAL
SJA P101 137

NEW




HIVE
SJA 4000 137

NEW



LOGO RED
SJA 5477 137




PEPPER
SJA 3968 137



PARIS RED
SJA 3728 137



MINK BROWN
SJA 3127 137



ANTIQUE BEIGE
SJA 5422 137




HEATHER BEIGE
SJA 5476 137



TRUSH
SJA 3995 137


NEW



TAUPE CHINÉ
SJA 3907 137



TAUPE
SJA 3729 137



DARK SMOKE
SJA 3792 137



ALMOND
SJA 3983 137




CALATHEA
SJA 3999 137

NEW



PINEA
SJA 3998 137


NEW



MACAO
SJA 3738 137



LICHEN
SJA 3970 137



CELADON
SJA P103 137

NEW




COMO
SJA P089 137

NEW



BELHARRA
SJA P105 137

NEW




ADRIATIC
SJA 3941 137



TRUE BLUE
SJA 5499 137



ARUBA
SJA 5416 137



CURACAO
SJA 3964 137



MINERAL BLUE CHINÉ
SJA 3793 137



FJORD
SJA P093 137

NEW



PAPYRUS
SJA P055 137

NEW




NATURAL
SJA 5404 137



CANVAS
SJA 5453 137



LIN
SJA 3780 137




STONE
SJA 3988 137




MARBLE
SJA 3966 137




SILVER GREY
SJA 3741 137



SHINGLES
SJA 3706 137



LEAD CHINÉ
SJA 3756 137



CHARCOAL
SJA 3705 137



TITANIUM
SJA P054 137

NEW



ARDOISE
SJA 3737 137




FLANELLE
SJA 3757 137



MISTRAL
SJA P104 137

NEW



CARBON
SJA 3906 137



SOOTY
SJA 3758 137



BLACK
SJA 5408 137

* See the characteristics on the technical page

STRIPES

NEW

REPEAT:
45,4 cm



OPTIONAL FINISHES* :



CANYON VERDON
SJA 4002 137

LIFT TO SEE THE PICTURE OF THE WHOLE STRIPE



CANYON COLCA
SJA 4003 137

LIFT TO SEE THE PICTURE OF THE WHOLE STRIPE



CANYON TENAYA
SJA 4004 137

LIFT TO SEE THE PICTURE OF THE WHOLE STRIPE

* See the characteristics on the technical page

CLIFF

NEW



OPTIONAL FINISHES* :



OBVIOUS
CLI B123 140



CLOUD
CLI B125 140




MIST
CLI B124 140



JACKET
CLI B128 140



PETRA
CLI B129 140




SLATE
CLI B126 140



DENIM
CLI B127 140




FIR
CLI B131 140




SPA
CLI B130 140

* See the characteristics on the technical page





FROM TOP TO BOTTOM AND LEFT TO RIGHT: SOLID BLUSH 3965, SOLID PUMPKIN 3969, TUNDRA SOUK J474, TUNDRA RYE J480, WANDER EVEREST J623, SOLID CORAL P101




FROM LEFT TO RIGHT: SOLID AUTOMNE 3982, SOLID CORAL P101, SOLID PUMPKIN 3969



FROM TOP TO BOTTOM AND LEFT TO RIGHT: CARAT GRENAT J637, KHAIMA KALAHARI J499, SOLID WALNUT 3996, LOPI CHAI R080, TERRITORY ALUM J643, STRIPE CANYON VERDON 4002, SOLID WALNUT 3996, LOPI FAWN R081



CLIFF OBVIOUS B123



FROM TOP TO BOTTOM AND LEFT TO RIGHT: KHAIMA MORINGA J498, LOPI BARIBAL R084, SLOW FOREST 19104, STRIPE CANYON COLCA 4003, SOLID CALATHEA 3999



STRIPE CANYON COLCA 4003



dckc.fr/sunbrella 

